

MAX1480BEPI

Data Sheet

RFO

Single Transmitter/Receiver RS-422/RS-485 28Pin PDIP

Manufacturers	Analog Devices, Inc	
Package/Case	PDIP-28	
Product Type	Interface ICs	Images are for reference only
RoHS		
Lifecycle		

Please submit RFQ for MAX1480BEPI or Email to us: sales@ovaga.com We will contact you in 12 hours.

General Description

MAX1480BEPI is a half-duplex RS-485/RS-422 transceiver IC manufactured by Maxim Integrated. It is designed to facilitate communication between two different types of electrical circuits - RS-485 and RS-422.

Features

It operates over a wide range of supply voltages, from 4.75V to 5.25V.

It can operate at data rates of up to 250kbps.

It has a low standby current of just 1uA.

It provides thermal shutdown protection to prevent damage from overheating.

It has a wide common-mode voltage range, making it suitable for use in noisy environments.



Related Products



MAX3232EEUE

Analog Devices, Inc TSSOP-16



MAX4544EUT+T Analog Devices, Inc

SOT-23-6



MAX202CSE

Analog Devices, Inc SOP-16



MAX485ECPA

Analog Devices, Inc DIP-8



MAX3221EEUE

Analog Devices, Inc TSSOP-16



MAX490MJA

Analog Devices, Inc CDIP-8



MAX3323EEUE

Analog Devices, Inc TSSOP-16

MAX3232EUE



Analog Devices, Inc TSSOP-16