

20V 1 Form A Photo Voltaic Relay in a 6-pin DIP Package; Similar to PVN012 with lead free packaging.

Manufacturers	Infineon Technologies Corporation
Package/Case	DIP-6
Product Type	Solid State
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for PVN012PBF or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

20 V, 2.5A AC/ 4.5A DC single-pole Photovoltaic Relay in a 6-pin SMT Package. The PVN012 is a single-pole, normally open solid-state relay. These units exceed the performance capabilities of electromechanical relays in life, sensitivity, stable onresistance, miniaturization, magnetic insensitivity and ruggedness. They are ideally suited for switching high currents or low level signals without distortion or injection of electrical noise.

Features

- 100 mΩ On-Resistance
- 2.5 - 4.5 Amp capacity
- Linear AC/DC operation
- 4,000 V(rms) I/O isolation
- Bounce-free operation
- Solid state reliability
- UL recognized
- ESD Tolerance:
- 4000 V human body model
- 500 V machine model

Application

- Portable electronics
- Programmable logic controllers
- Computers and peripheral devices
- Audio equipment
- Power supplies and power distribution
- Instrumentation
- Electro mechanical relay replacement




Related Products



[PVG612ASPBF](#)

Infineon Technologies Corporation
SOP-6



[PVG612S-TPBF](#)

Infineon Technologies Corporation
SOIC-6



PVT322SPBF

Infineon Technologies Corporation
SOIC-8



PVD1352NSPBF

Infineon Technologies Corporation
SOIC-8



PVG612APBF

Infineon Technologies Corporation
DIP-6




PVG612PBF

Infineon Technologies Corporation
DIP6



PVI1050NPBF

Infineon Technologies Corporation
DIP-8



PVG612AS-TPBF

Infineon Technologies Corporation
SOIC-6