

MCP6561T-E/LT

Data Sheet

 $1.8 \mathrm{V}$ Low Power Push-Pull Output Comparator ; 0, Comparator ICs singl $1.8 \mathrm{v}$ push/pull comparator, e temp

Manufacturers	Microchip Technology, Inc	
Package/Case	SC70-5	
Product Type	Comparator ICs	
RoHS	Rohs	
Lifecycle		Images are for reference only
Please submit RFQ for MCP6561T-E/LT or Email to us: sales@ovaga.com We will contact you in 12 hours.		

General Description

These comparators are optimized for low power, single-supply operation with greater than rail-to-rail input operation. The push-pull output of the MCP6561/2/4 family supports rail-to-rail output swing, and interfaces with TTL/CMOS logic. The output limits supply current surges, and dynamic power consumption while switching. AEC-Q100 Grade 1 qualification is available for this device

Features

Single, Push-Pull Output

47ns Propogation Delay

Low Operating Voltage, 1.8V to 5.5V

Low Operating Current, 100uA (typical)

Rail-to-Rail Input/Output

Small 5-pin SOT-23 and SC-70 Packages

AEC-Q100 Grade 1

Related Products



MCP6561T-E/OT

Microchip Technology, Inc SOT-23-5



<u>MCP6541T-I/OT</u>

Microchip Technology, Inc SOT23



MCP6564-E/SL Microchip Technology, Inc SOIC-14



MCP6562-E/SN Microchip Technology, Inc SOIC-8



<u>MCP6547-E/SN</u>

Microchip Technology, Inc SOIC-8



MCP6562T-E/MS

Microchip Technology, Inc MSOP-8

MCP6547-E/MS

Microchip Technology, Inc MSOP-8

<u>MCP6542-I/SN</u>



Microchip Technology, Inc SOIC-8