# 🔉 ovaga

# MAX365CSE+

Data Sheet

<u>RFO</u>

Analogue Switch, Precision, 4 Channels, SPST - NO, 160 ohm, 10V to 30V,  $\pm$  4.5V to  $\pm$  20V, NSOIC

Manufacturers	Analog Devices, Inc
Package/Case	SOIC-16
Product Type	Interface ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for MAX365CSE+ or Email to us: sales@ovaga.com We will contact you in 12 hours.

### **General Description**

MAX365CSE+ is a high-speed, low-power, and low-jitter 3.3V quad-output clock generator IC manufactured by Maxim Integrated. It is designed to generate up to four output clocks from a single input clock.

#### Features

Four independent output clocks

Input frequency range of 16 MHz to 200 MHz

Low jitter (less than 30 ps RMS)

Low power consumption (less than 100 mW)

Output frequency range of 16 MHz to 200 MHz

3.3V power supply voltage

Application
-------------

Networking equipment

Data storage systems

Communication systems

Industrial automation systems

Test and measurement equipment





#### **Related Products**



MAX3232EEUE Analog Devices, Inc TSSOP-16



## MAX202CSE Analog Devices, Inc SOP-16



MAX3221EEUE Analog Devices, Inc TSSOP-16



MAX490MJA Analog Devices, Inc

CDIP-8





#### MAX485ECPA



Analog Devices, Inc DIP-8

#### MAX3323EEUE

Analog Devices, Inc TSSOP-16

#### **MAX3232EUE**



Analog Devices, Inc TSSOP-16