


Calendar, Clock IC, Year/Month/Week/Date/Hr/Min/Sec hh:mm:ss, I2C, 1.8 V to 5.5 V, SOIC-8

Manufacturers	Microchip Technology, Inc
Package/Case	SOIC-8
Product Type	Clock & Timer ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for MCP79412-I/SN or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The MCP79412 general purpose I2C™Compatible real-time clock/calendar (RTCC) is highly integrated with nonvolatile memory and advanced features normally found in higher priced devices. These features include a battery switchover circuit for backup power, a timestamp to log power failures and digital trimming for accuracy. Using a low-cost 32.768 kHz crystal or other clock source, time is tracked in either a 12-hour or 24-hour format with an AM/PM indicator and timing to the second, minute, hour, day of the week, day, month and year. As an interrupt or wakeup signal, a multifunction open drain output can be programmed as an Alarm Out or as a Clock Out that supports 4 selectable frequencies. In addition, non-volatile memory is included along with a Unique ID in a locked section of EEPROM that is factory programmed with an EUI-48 MAC Address.

Features

Timekeeping

Battery-Backed Real-Time Clock/Calendar (RTCC)

Hours, Minutes, Seconds, Day of Week, Day, Month, Year

Leap year compensated to 2399

12/24 hour modes

On-Chip Digital Trimming/Calibration

1 PPM Resolution

Dual Programmable Alarms

Versatile Output Pin

Clock output with selectable frequency

Alarm output

General Purpose output

Power-Fail Time-Stamp

Time logged on switchover to and from Battery Backup

2-Wire Serial Interface, I2C™Compatible

I2C Clock Frequency up to 400 kHz

User Memory

64 Bytes Battery-Backed SRAM

1Kb EEPROM Memory

64-bit Protected EEPROM Area

Robust write unlock sequence

Preprogrammed EUI-64™ MAC Address

Low-Power


Wide Voltage Range

Operating Voltage 1.8V to 5.5V

Backup Voltage 1.3V to 5.5V

Low Typical Timekeeping Current

Automatic Switchover to Battery Backup



Related Products



[MCP79410T-I/SN](#)

Microchip Technology, Inc
SOIC-8



[MCP79411-I/SN](#)

Microchip Technology, Inc
SOIC-8



[MCP79511-I/MS](#)

Microchip Technology, Inc
MSOP-10



[MCP79510-I/MS](#)

Microchip Technology, Inc
MSOP-10



[MCP79411-I/MS](#)

Microchip Technology, Inc
MSOP-8



[MCP79410T-I/MNY](#)

Microchip Technology, Inc
TDFN-8



[MCP79410T-I/MS](#)

Microchip Technology, Inc
MSOP-8



[MCP79410-I/MS](#)

Microchip Technology, Inc
MSOP-8