

MAX14502AETL+

Data Sheet

Hi Speed USB to SD Card Readers with Bypass 40Pin TQFN EP


Manufacturers Analog Devices, Inc

Package/Case QFN40

Interface ICs Product Type

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for MAX14502AETL+ or Email to us: sales@ovaga.com We will contact you in 12 hours.

RFO

General Description

MAX14502AETL+ is a specific part number of a high-precision analog switch manufactured by Maxim Integrated.

Features Application

Low on-resistance (RON) of 0.7Ω (typical) for improved power efficiency and reduced power loss Battery-powered devices

Wide supply voltage range of 1.6V to 5.5V Portable instrumentation


Low input and output leakage currents Audio and video signal routing


Fast switching times of less than 50ns Medical equipment

ESD protection on all pins to prevent damage from electrostatic discharge

Industrial automation

Test and measurement equipment





Related Products



MAX3232EEUE

Analog Devices, Inc TSSOP-16



MAX202CSE

Analog Devices, Inc SOP-16



MAX3221EEUE

Analog Devices, Inc TSSOP-16



MAX490MJA

Analog Devices, Inc CDIP-8



MAX4544EUT+T

Analog Devices, Inc SOT-23-6



MAX485ECPA

Analog Devices, Inc DIP-8



MAX3323EEUE

Analog Devices, Inc TSSOP-16



MAX3232EUE

Analog Devices, Inc TSSOP-16