

CAN TRANSCEIVER, 1MBPS, 1/1, 5.5V, IC Interface Type:CAN, Serial, No. of TX Buffers:1, No. of RX Buffers:1, Supply Voltage Min:4.5V, Supply Voltage Max:5.5V, Packaging:Each, MSL:-

Manufacturers [Microchip Technology, Inc](#)

Package/Case PDIP-8

Product Type Interface ICs

RoHS

Lifecycle



Images are for reference only

Please submit RFQ for MCP2551-I/P or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The MCP2551 is a high-speed CAN transceiver, fault-tolerant device that serves as the interface between a CAN protocol controller and the physical bus. The MCP2551 provides differential transmit and receive capability for the CAN protocol controller and is fully compatible with the ISO-11898 standard, including 24V requirements. It will operate at speeds of up to 1 Mb/s.

Please consider this device MCP2561



Related Products



[MCP23008T-E/SO](#)

Microchip Technology, Inc
SOIC-18



[MCP25625T-E/ML](#)

Microchip Technology, Inc
QFN-28



[MCP2210-I/SO](#)

Microchip Technology, Inc
SOP-20



[MCP23008T-E/ML](#)

Microchip Technology, Inc
QFN-20



[MCP2515T-I/SO](#)

Microchip Technology, Inc
SOIC-18



[MCP2515T-I/ST](#)

Microchip Technology, Inc
TSSOP-20



[MCP2562FDT-H/SN](#)

Microchip Technology, Inc
SOIC-8



[MCP25625-E/SS](#)

Microchip Technology, Inc
SSOP-28