

Optocoupler AC-IN 1-CH Transistor DC-OUT 4-Pin SSOP T/R

| | |
|---------------|---|
| Manufacturers | Renesas Technology Corp |
| Package/Case | SOP |
| Product Type | Transistor Output Optocouplers |
| RoHS | Rohs |
| Lifecycle | |



Images are for reference only

Please submit RFQ for PS2805-1-A or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

Features

High isolation voltage>

Small and thin package (4,16-pin SSOP, Pin pitch 1.27 mm)

High collector to emitter voltage>

AC input response

High-speed switching (= 5 μs TYP.)

Ordering number of tape product: PS2805-1-F3, PS2805-4-F3

Pb-Free product

Safety standards UL approved: No. E72422 BSI approved (BS EN 60065, BS EN 60950) CSA approved: No. CA 101391 (CA5A, CAN/CSA-C22.2 60065, 60950) DIN EN 60747-5-5 (VDE 0884-5) approved (Option)

Related Products




[PS9821-2-F3-AX](#)

Renesas Technology Corp
SOP8



[PS2505L-4-A](#)

Renesas Technology Corp
SSOP-16



[PS7241E-1A-F3-A](#)

Renesas Technology Corp
SOP4



[PS2505L-1-F3-A](#)

Renesas Technology Corp
SOP4



[PS2505L-1-A](#)

Renesas Technology Corp
SOP4



[PS2805C-4-F3-A](#)

Renesas Technology Corp
SSOP-16



[PS2801C-1-A](#)

Renesas Technology Corp
SSOP-4



[PS2501L-1-A](#)

Renesas Technology Corp
DIP-4