

Quadruple Bus Buffer Gates With 3-State Outputs

Manufacturers	Analog Devices, Inc
Package/Case	DIP-24
Product Type	Interface ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MAX236CNG or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

MAX236CNG is a specific integrated circuit (IC) manufactured by Maxim Integrated. It is a dual RS-232 driver/receiver that is used for communicating serial data over long distances.


Features

- Dual RS-232 driver/receiver
- Supports data rates up to 120 kbps
- Operates from a single +5V supply
- Low power consumption
- Requires only four external capacitors
- Includes electrostatic discharge (ESD) protection

Application

- Industrial control systems
- Point of sale (POS) systems
- Networking equipment
- Telecommunications equipment
- Medical equipment
- Test and measurement equipment






Related Products



[MAX3232EEUE](#)
 Analog Devices, Inc
 TSSOP-16



[MAX202CSE](#)
 Analog Devices, Inc
 SOP-16



[MAX3221EEUE](#)
 Analog Devices, Inc
 TSSOP-16



[MAX4544EUT+T](#)
 Analog Devices, Inc
 SOT-23-6



[MAX485ECPA](#)
 Analog Devices, Inc
 DIP-8



[MAX3232EEUE](#)
 Analog Devices, Inc
 TSSOP-16

[MAX490MJA](#)



Analog Devices, Inc
CDIP-8

[MAX3232EUE](#)



Analog Devices, Inc
TSSOP-16