

24LC1025-E/SM

S.

Data Sheet

1024K I2C^(III) CMOS Serial EEPROM,EEPROM 1024K 128KX8 2.5V SER EE 128 BYTE PAGE

Manufacturers	Microchip Technology, Inc	10 00 T
Package/Case	SOIJ-8	1300
Product Type	Memory	
RoHS	Rohs	
Lifecycle		Images are for reference only
Please submit RFQ for 24LC1025-E/SM or Email to us: sales@ovaga.com We will contact you in 12 hours. RFQ		

General Description

The Microchip Technology Inc. 24LC1025 is a 1024Kb (128K x 8) Serial Electrically Erasable PROM (EEPROM), capable of operation across a broad voltage range (2.5V to 5.5V). It has been developed for advanced, low-power applications such as personal communications or data acquisition. This device has both byte write and page write capability of up to 128 bytes of data.

Features

- Reliable EEPROM Memory
- 128K x 8 (1024 Kbit)
- 128-Byte Page Write Buffer
- Page Write Time 5 ms Max.
- Hardware Write-Protect Pin
- Factory Programming Available
- Low Power
- Operating voltage 2.5V to 5.5V
- Read current 450 uA, max.
- Standby current 5 uA, max.
- 2-Wire Serial Interface, I2CTM Compatible
- Cascadable up to Four Devices
- 100 kHz and 400 kHz Clock Compatible
- Pb-Free and RoHS Compliant

Related Products



AT24CM02-SSHM-B Microchip Technology, Inc SOIC-8



24FC512-I/SM Microchip Technology, Inc SOUL8



SOIJ-8 AT24C512C-SSHM-T

Microchip Technology, Inc SOIC-8







AT24CM02-SSHD-B Microchip Technology, Inc SOIC-8

24AA512-I/SM

Microchip Technology, Inc SOIJ-8

24LC256-I/ST

Microchip Technology, Inc TSSOP-8



24LC32AT-I/SN

Microchip Technology, Inc SOIC-8



AT24C04D-MAHM-T

Microchip Technology, Inc UDFN-8