


BTA08-800BW

Data Sheet

Snubberless $^{\mbox{\scriptsize TM}}$, logic level and standard 8 A Triacs

Manufacturers	STMicroelectronics, Inc
Package/Case	TO-220
Product Type	Discrete Semiconductors
RoHS	
Lifecycle	




Images are for reference only

Please submit RFQ for BTA08-800BW or Email to us: sales@ovaga.com We will contact you in 12 hours.	<u>RFQ</u>
--	------------

General Description

BTA08-800BW is a type of thyristor, also known as a silicon-controlled rectifier (SCR).

Features	Application
Voltage rating: 800V	TIC126M
Average on-state current: 8A	MAC223A8
Gate trigger current: 10mA	TIC206M
Package type: TO-220AB	BTB08-800BW
	Q8025L6
	TIC126N
	MAC223A10
	TIC206N



Related Products



BTA08-600B

BTA24-800B



STMicroelectronics, Inc TO-220

STMicroelectronics, Inc TO-220





BTA26-800B

STMicroelectronics, Inc TO-3P

BTA12-800B

STMicroelectronics, Inc TO-220



BTA24-600B

STMicroelectronics, Inc

TO-220



BTA41-700B

STMicroelectronics, Inc TO-3P



<u>MMBT9013H</u>

STMicroelectronics, Inc



GE200NB60S

STMicroelectronics, Inc SOT-227