



Data Sheet

TinyLogic ULP-A Buffer with 3-STATE Output; Package: SC70; No of Pins: 5; Container: Tape & Reel,Buffers & Line Drivers Buff 3-STATE Output

Manufacturers ON Semiconductor, LLC

Package/Case SC-70-5

Product Type Logic ICs

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for NC7SV126P5X or Email to us: sales@ovaga.com We will contact you in 12 hours.



General Description

The NC7SV126 is a single buffer with 3-STATE output from Fairchild's Ultra-Low Power-A (ULP-A) Series of TinyLogic®. ULP-A is ideal for applications that require extreme high speed, high drive, and low power. This product is designed for a wide low-voltage operating range (0.9V to 3.6V VCC) and applications that require more drive and speed than the TinyLogic ULP series, but still offer best in class low power operation. The NC7SV126 is uniquely designed for optimized power and speed, and is fabricated with an advanced CMOS technology to achieve high-speed operation while maintaining low CMOS power dissipation.

Application

ONSEMI

Related Products



NC7SZ18P6X

ON Semiconductor, LLC

SC-70-6



NC7SV32P5X

ON Semiconductor, LLC

SC-70



NC7SV04P5X

ON Semiconductor, LLC

SC-70-5



NC7SV08P5X

ON Semiconductor, LLC

SC-70



NC7S32M5X

ON Semiconductor, LLC SOT-23



NC7SV157P6X

ON Semiconductor, LLC SC-70-6



NC7WZ08K8X

ON Semiconductor, LLC VSOP-8



NC7SZ00P5X

ON Semiconductor, LLC SC-70