


C TXRX RS232 250KBPS 20TSSOP

Manufacturers	Analog Devices, Inc
Package/Case	TSSOP20
Product Type	Interface ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MAX3322EEUP or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

MAX3322EEUP is an integrated circuit (IC) produced by Maxim Integrated, which is a dual RS-232 transceiver. Here are some of its features:

Features

It supports data rates up to 1Mbps.

It operates on a single +3.3V to +5.5V power supply.

It includes a charge pump circuit that allows it to operate with a single power supply, eliminating the need for a dual power supply.

It has a low power consumption of 1µA in shutdown mode.

It has a small package size of 20-pin TSSOP.

Application


Industrial automation


Medical equipment

Point-of-sale (POS) terminals

Networking equipment

Test equipment





Related Products




[MAX3232EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX4544EUT+T](#)

Analog Devices, Inc
SOT-23-6



[MAX202CSE](#)

Analog Devices, Inc
SOP-16




[MAX485ECPA](#)

Analog Devices, Inc
DIP-8



[MAX3221EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX3223EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX490MJA](#)

Analog Devices, Inc
CDIP-8



[MAX3232EUE](#)

Analog Devices, Inc
TSSOP-16