

EPROM, One Time Programmable, 70 ns, 512K x 8bit, 4 Mbit, 4.5 V to 5.5 V, DIP-32

Manufacturers	Microchip Technology, Inc
Package/Case	PDIP-32
Product Type	Memory
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for AT27C040-70PU or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The AT27C040-70PU is a 4 Megabit (512K x 8) one-time programmable (OTP) EPROM (Electrically Programmable Read-Only Memory) device.

Features

- 4 Megabit (512K x 8) organization
- One-time programmable (OTP) memory
- Fast access time: 70 nanoseconds
- Low power consumption
- Wide operating voltage range: 4.5V to 5.5V
- High reliability and endurance
- Erase-free technology (OTP)
- 32-lead PDIP package

Application

- Firmware storage in embedded systems
- BIOS (Basic Input/Output System) in computers
- Configuration storage in networking devices
- Data logging and archival
- Industrial automation
- Automotive electronics
- Consumer electronics



Related Products




[AT27C010-45JU](#)

Microchip Technology, Inc
PLCC-32



[AT24CM02-SSHM-B](#)

Microchip Technology, Inc
SOIC-8



[AT24CM02-SSHD-B](#)

Microchip Technology, Inc
SOIC-8



[AT24C512C-SSHM-T](#)

Microchip Technology, Inc
SOIC-8



[24LC32AT-I/SN](#)

Microchip Technology, Inc
SOIC-8



[AT24C04D-MAHM-T](#)

Microchip Technology, Inc
UDFN-8



[AT28BV256-20SU](#)

Microchip Technology, Inc
SOIC-28



[AT28C010E-12DM/883](#)

Microchip Technology, Inc
CERDIP-32